



Thank you for purchasing the Futureglass Meeting Platform Conference Room Table!



The design of Meeting Platform allows easy tool free assembly by a competent adult.

Please take a few moments to read these instructions to get the most from the table

The simple tool free assembly means that the table can be constructed in the shortest of times.

ASSEMBLY INSTRUCTIONS

1. Unpack all of the components.
2. Screw the threaded centre spindle of the table into the stainless steel boss (which is bonded to the glass base); making sure that the threaded spindle is protruding from the tube.
3. Now align the top of the threaded spindle to the center of the stainless boss (which is bonded to the glass top), and turn the tabletop whilst keeping it parallel to the base in a clockwise direction. Continue to do this until it becomes tight to turn the top, and it then aligns with the base.



The glass supplied is toughened to BS6206A for safety. In order to maximize this safety; please follow the following precautions.

- | | |
|--|---|
| 1. Never drag the table. | 7. Never place hot pans onto the table. |
| 2. Replace any damaged glass with that of identical specification. | 8. Avoid subjecting the table to impact. |
| 3. Never place heavy objects onto the table. | 9. Never sit or stand on the table. |
| 4. Use a suitable non-abrasive glass cleaner. | 10. The table is not suitable for rough use |
| 5. Take care when moving the table. | 11. In the unlikely event of breakage, a competent person must clear thoroughly the area of sharp shards of glass, which may cut. |
| 6. Take care in positioning the table. | |



Thank you for purchasing the Futureglass Meeting Platform Table (wood)!



The design of Meeting Platform allows easy tool free assembly by a competent adult.

Please take a few moments to read these instructions to get the most from the table

The simple tool free assembly means that the table can be constructed in the shortest of times.

ASSEMBLY INSTRUCTIONS

1. Unpack all of the components.
2. Screw the grub screw with the hex socket still visible into the stainless steel boss in the center of the smaller glass (base).
3. Firmly screw the leg onto the protruding stud.
4. Now Screw the grub screw with the hex socket still visible into the boss on the larger piece of glass.
5. Screw the top into the central leg by rotating the glass tabletop until it is firmly tightened.



The glass supplied is toughened to BS6206A for safety. In order to maximize this safety; please follow the following precautions.

- | | |
|--|---|
| 1. Never drag the table. | 7. Never place hot pans onto the table. |
| 2. Replace any damaged glass with that of identical specification. | 8. Avoid subjecting the table to impact. |
| 3. Never place heavy objects onto the table. | 9. Never sit or stand on the table. |
| 4. Use a suitable non-abrasive glass cleaner. | 10. The table is not suitable for rough use |
| 5. Take care when moving the table. | 11. In the unlikely event of breakage, a competent person must clear thoroughly the area of sharp shards of glass, which may cut. |
| 6. Take care in positioning the table. | |



Thank you for purchasing the Futureglass Spring Meeting Platform Conference Table!



The design of Meeting Platform allows easy tool free assembly by a competent adult.

The simple tool free assembly means that the table can be constructed in the shortest of times.

Please take a few moments to read these instructions to get the most from the table.

ASSEMBLY INSTRUCTIONS

1. Unpack all of the components.
2. Screw the threaded centre spindle of the table into the stainless steel boss (which is bonded to the glass top); making sure that the threaded spindle is still protruding from the top of the tube.
3. Now secure the base to the spring. Carefully compress the spring by pushing down the base to align the top of the threaded spindle to the center of the stainless steel boss (which is bonded to the glass base). Now turn the base whilst keeping it parallel to the top in a clockwise direction. Continue to do this until it becomes tight to turn the base.
4. Take care with two or more people lifting the table.



The glass supplied is toughened to BS6206A for safety. In order to maximize this safety; please follow the following precautions.

- | | |
|--|---|
| 1. Never drag the table - Always lift with assistance | 7. Never place hot pans onto the table. |
| 2. Replace any damaged glass with that of identical specification. | 8. Avoid subjecting the table to impact. |
| 3. Never place heavy objects onto the table. | 9. Never sit or stand on the table. |
| 4. Use a suitable non-abrasive glass cleaner. | 10. The table is not suitable for rough use |
| 5. Take care when moving the table. | 11. In the unlikely event of breakage, a competent person must clear thoroughly the area of sharp shards of glass, which may cut. |
| 6. Take care in positioning the table. | |